-	43	((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command)) same track) and (@ad<=20000822 or @rlad<=20000822)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:42
-	42726	(check$3 or determin$3 or compar$3) with track	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:42
-	4	(((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command)) same track) and (@ad<=20000822 or @rlad<=20000822)) and ((check$3 or determin$3 or compar$3) with track)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 09:44

L Number	Hits	Search Text	DB	Time stamp
1	12910	(check$3 or determin$3 or compar$3) with sector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:42
2	10	((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command)) same sector) and (@ad<=20000822 or @rlad<=20000822)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:43
3	4	((check$3 or determin$3 or compar$3) with sector) and (((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command)) same sector) and (@ad<=20000822 or @rlad<=20000822))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:43
-	2864	711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:31
-	1664	710/52-53.ccls. or 710/56-57.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 12:37
-	949	360/18.ccls. or 360/72.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:31
-	14404	(buffer or fifo or queue) with address with register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:33
-	22317	(disk or disc) same ((order or sequence or sequential) with (writ$3 or stor$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 13:57
-	581	((buffer or fifo or queue) with address with register) and ((disk or disc) same ((order or sequence or sequential) with (writ$3 or stor$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 12:45
-	89	((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:34
-	12	(((buffer or fifo or queue) with address with register) and ((disk or disc) same ((order or sequence or sequential) with (writ$3 or stor$3)))) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 12:49
-	12	((((buffer or fifo or queue) with address with register) and ((disk or disc) same ((order or sequence or sequential) with (writ$3 or stor$3)))) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc))) and (@ad<=20000822 or @rlad<=20000822)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 12:51
-	955	(disk or disc) same ((out near5 (order or sequence or sequential)) with (writ$3 or stor$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 13:58

-	3	(((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc)) and ((disk or disc) same ((out near5 (order or sequence or sequential)) with (writ$3 or stor$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:00
-	42	((disk or disc) same ((order or sequence or sequential) with (writ$3 or stor$3))) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:03
-	4	(((disk or disc) same ((order or sequence or sequential) with (writ$3 or stor$3))) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc))) and (711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/10/18 14:06
-	3	(((disk or disc) same ((order or sequence or sequential) with (writ$3 or stor$3))) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc))) and (710/52-53.ccls. or 710/56-57.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:06
-	2	(((disk or disc) same ((order or sequence or sequential) with (writ$3 or stor$3))) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc))) and (360/18.ccls. or 360/72.2.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:30
-	24558	((two or multiple or several) with (write or operation or command)) same (single near5 (write or command or operation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:13
-	569	((two or multiple or several) with (write or operation or command)) same (single near5 (write or command or operation)) same track	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:53
-	14404	(buffer or fifo or queue) with address with register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:32
-	89	((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:29
-	1585	((plurality or multiple or several or two or second) near5 address near3 register) same (fifo or buffer or queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:53
-	4	(((two or multiple or several) with (write or operation or command)) same (single near5 (write or command or operation)) same track) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc)) and (((plurality or multiple or several or two or second) near5 address near3 register) same (fifo or buffer or queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:40
-	0	("out of" near5 (order or sequence or sequential)) same (register or fifo queue or buffer) same (address near4 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:43

-	1441	(out near5 (order or sequence or sequential)) same (register or fifo queue or buffer) same (address near4 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:13
-	5	((out near5 (order or sequence or sequential)) same (register or fifo queue or buffer) same (address near4 register)) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:44
-	5	(((two or multiple or several) with (write or operation or command)) same (single near5 (write or command or operation)) same track) and (((plurality or multiple or several or two or second) near5 address near3 register) same (fifo or buffer or queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:52
-	12096	((two or multiple or several) with (write or operation or command)) same track	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 13:53
-	39	(((two or multiple or several) with (write or operation or command)) same track) and (((plurality or multiple or several or two or second) near5 address near3 register) same (fifo or buffer or queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 14:56
-	322	369/30.23.ccls. or 369/47.32-47.34.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:12
-	0	(((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc)) and (369/30.23.ccls. or 369/47.32-47.34.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:13
-	0	((out near5 (order or sequence or sequential)) same (register or fifo queue or buffer) same (address near4 register)) and (369/30.23.ccls. or 369/47.32-47.34.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 15:13
-	4	(((two or multiple or several) with (write or operation or command)) same (single near5 (write or command or operation))) and (369/30.23.ccls. or 369/47.32-47.34.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:02
-	26354	((re adj2 oder$3) or reorder$3 or (out adj2 order$3) or sequential$2 or consecutive$2 or sequence) with (disk or disc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:06
-	646	((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (disk or disc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:59
-	1	(((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3) same (disk or disc)) and (((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (disk or disc))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:07
-	272	(((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command or operation or instruction)) same(disk or disc)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:29

-	6179	((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:30
-	3	((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command or operation or instruction)) same(disk or disc)) and (((plurality or multiple or several or two or second) near5 address near3 register) same (writ$3 or stor$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:32
-	2634	710/5-7.ccls. or 710/52-57.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 16:33
-	30	((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command or operation or instruction)) same(disk or disc)) and (710/5-7.ccls. or 710/52-57.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:59
-	2864	711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:31
-	949	360/18.ccls. or 360/72.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:31
-	41	((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command or operation or instruction)) same(disk or disc)) and (711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:40
-	24	(((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command or operation or instruction)) same(disk or disc)) and (711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.)) not (((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command or operation or instruction)) same(disk or disc)) and (710/5-7.ccls. or 710/52-57.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:32
-	2	((((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command or operation or instruction)) same(disk or disc)) and (711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.)) not (((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command or operation or instruction)) same(disk or disc)) and (710/5-7.ccls. or 710/52-57.ccls.))) and ((buffer or fifo or queue) with address with register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 13:43
-	7	(((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command or operation or instruction)) same(disk or disc)) and (711/4.ccls. or 711/110-112.ccls. or 711/154.ccls.)) and ((buffer or fifo or queue) with address with register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:39
-	1	((((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command or operation or instruction)) same(disk or disc)) and (360/18.ccls. or 360/72.2.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/20 17:40
-	47	(((re adj2 oder$3) or reorder$3 or (out adj2 order$3)) with (command)) same track	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/06 08:59